





Cleaning Steps - By Employee

Thursday, September 03, 2019



A quality report that lists cleaning steps by Employee.

Barranco, Alfredo					
Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	18	17	1	94.44	3.17
10 - Elevators	1	1	0	100.00	3.00
11 - Stairways	1	1	0	100.00	3.00
13 - Run Automatic Floor Machine	3	3	0	100.00	4.00
1A - Weekly Cleaning	7	6	1	85.71	3.00
2 - WIndows/Glass Cleaning	4	2	2	50.00	2.75
2A - Spot Clean Vertical Surfaces	25	11	14	44.00	2.48
3 - Damp Wipe Horizontal Surfaces	20	16	4	80.00	3.40
3A - Spot Clean Horizontal Surfaces	1	0	1	0.00	2.00
4 - Trash	19	11	8	57.89	2.63
4A - Trash 2	8	5	3	62.50	2.88
5 - Restroom Procedure	17	8	9	47.06	2.41
5A - Restroom Recheck & Spot Clean	2	0	2	0.00	1.00
6 - Dry & Damp Mop or Vacuum Floors	21	21	0	100.00	3.29
6A - Spot Mop or Vacuum Floors	3	1	2	33.33	2.00
	150	103	47	68.67	2.87





Bright, Kelly

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	20	18	2	90.00	2.90
1A - Weekly Cleaning	5	4	1	80.00	2.80
2 - WIndows/Glass Cleaning	4	4	0	100.00	3.00
2A - Spot Clean Vertical Surfaces	26	13	13	50.00	2.69
3 - Damp Wipe Horizontal Surfaces	21	14	7	66.67	3.19
3A - Spot Clean Horizontal Surfaces	2	2	0	100.00	4.00
4 - Trash	24	19	5	79.17	3.21
4A - Trash 2	5	4	1	80.00	2.80
5 - Restroom Procedure	17	10	7	58.82	2.82
6 - Dry & Damp Mop or Vacuum Floors	23	23	0	100.00	3.22
6A - Spot Mop or Vacuum Floors	6	5	1	83.33	3.50
	153	116	37	75.82	3.03

Percent Steps Passed**Average Score**



Chamberlain, Trey

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	13	4	9	30.77	2.31
11 - Stairways	2	2	0	100.00	3.00
12 - Exterior Maintenance	1	0	1	0.00	2.00
14 - Surgery Suite Cleaning	1	0	1	0.00	1.00
15 - Wide Vacuum Procedure	2	2	0	100.00	3.00
1A - Weekly Cleaning	6	4	2	66.67	2.67
2 - Windows/Glass Cleaning	5	4	1	80.00	2.80
2A - Spot Clean Vertical Surfaces	19	6	13	31.58	1.84
3 - Damp Wipe Horizontal Surfaces	15	9	6	60.00	3.07
3A - Spot Clean Horizontal Surfaces	1	1	0	100.00	3.00
4 - Trash	15	5	10	33.33	2.47
4A - Trash 2	8	5	3	62.50	2.63
5 - Restroom Procedure	9	6	3	66.67	2.89
6 - Dry & Damp Mop or Vacuum Floors	17	0	17	0.00	1.53
6A - Spot Mop or Vacuum Floors	4	3	1	75.00	2.75
99 - Recheck & Spot Cleaning	1	0	1	0.00	2.00
	119	51	68	42.86	2.37





Christie, Jeffrey

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	19	14	5	73.68	2.84
1A - Weekly Cleaning	8	7	1	87.50	2.88
2 - WIndows/Glass Cleaning	3	3	0	100.00	3.00
2A - Spot Clean Vertical Surfaces	27	23	4	85.19	3.00
3 - Damp Wipe Horizontal Surfaces	23	19	4	82.61	3.48
3A - Spot Clean Horizontal Surfaces	4	4	0	100.00	3.25
4 - Trash	23	12	11	52.17	2.57
4A - Trash 2	5	2	3	40.00	2.40
5 - Restroom Procedure	17	17	0	100.00	3.12
6 - Dry & Damp Mop or Vacuum Floors	26	23	3	88.46	3.62
6A - Spot Mop or Vacuum Floors	2	2	0	100.00	3.50
	157	126	31	80.25	3.09

Percent Steps Passed**Average Score**



Cortez, Silvio

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	22	20	2	90.91	2.91
10 - Elevators	1	1	0	100.00	3.00
11 - Stairways	1	1	0	100.00	4.00
13 - Run Automatic Floor Machine	3	3	0	100.00	3.00
1A - Weekly Cleaning	7	3	4	42.86	2.29
2 - WIndows/Glass Cleaning	6	1	5	16.67	1.33
2A - Spot Clean Vertical Surfaces	28	18	10	64.29	3.11
3 - Damp Wipe Horizontal Surfaces	23	14	9	60.87	2.87
4 - Trash	22	12	10	54.55	2.59
4A - Trash 2	9	6	3	66.67	2.78
5 - Restroom Procedure	21	20	1	95.24	3.43
6 - Dry & Damp Mop or Vacuum Floors	23	15	8	65.22	3.04
6A - Spot Mop or Vacuum Floors	5	3	2	60.00	2.60
	171	117	54	68.42	2.89





Cristian, Annette

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	20	14	6	70.00	2.85
1A - Weekly Cleaning	4	4	0	100.00	3.00
2 - WIndows/Glass Cleaning	5	5	0	100.00	3.00
2A - Spot Clean Vertical Surfaces	23	20	3	86.96	3.35
3 - Damp Wipe Horizontal Surfaces	23	17	6	73.91	3.22
4 - Trash	22	15	7	68.18	3.00
4A - Trash 2	3	2	1	66.67	2.67
5 - Restroom Procedure	22	18	4	81.82	3.23
6 - Dry & Damp Mop or Vacuum Floors	24	24	0	100.00	3.17
6A - Spot Mop or Vacuum Floors	1	1	0	100.00	4.00
99 - Recheck & Spot Cleaning	1	0	1	0.00	1.00
	148	120	28	81.08	3.11



David, Josie


Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	19	19	0	100.00	3.16
1A - Weekly Cleaning	6	3	3	50.00	2.50
2 - WIndows/Glass Cleaning	6	3	3	50.00	2.33
2A - Spot Clean Vertical Surfaces	24	15	9	62.50	3.04
3 - Damp Wipe Horizontal Surfaces	21	17	4	80.95	3.00
3A - Spot Clean Horizontal Surfaces	2	2	0	100.00	3.00
4 - Trash	21	11	10	52.38	2.67
4A - Trash 2	7	7	0	100.00	3.43
5 - Restroom Procedure	16	10	6	62.50	3.13
5A - Restroom Recheck & Spot Clean	1	1	0	100.00	4.00
6 - Dry & Damp Mop or Vacuum Floors	23	10	13	43.48	2.65
6A - Spot Mop or Vacuum Floors	4	3	1	75.00	3.25
	150	101	49	67.33	2.93




Denmon, Jenny

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	32	29	3	90.63	3.00
11 - Stairways	1	1	0	100.00	4.00
12 - Exterior Maintenance	2	2	0	100.00	3.00
15 - Wide Vacuum Procedure	2	2	0	100.00	3.00
1A - Weekly Cleaning	10	7	3	70.00	2.90
2 - WIndows/Glass Cleaning	4	1	3	25.00	2.25
2A - Spot Clean Vertical Surfaces	40	25	15	62.50	2.93
3 - Damp Wipe Horizontal Surfaces	34	34	0	100.00	3.59
3A - Spot Clean Horizontal Surfaces	3	3	0	100.00	3.33
4 - Trash	38	27	11	71.05	2.82
4A - Trash 2	7	5	2	71.43	2.71
5 - Restroom Procedure	28	23	5	82.14	3.50
6 - Dry & Damp Mop or Vacuum Floors	37	22	15	59.46	2.70
6A - Spot Mop or Vacuum Floors	5	1	4	20.00	2.40
	243	182	61	74.90	3.02

Percent Steps Passed





Average Score





Hughes, Alice

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	16	10	6	62.50	2.94
12 - Exterior Maintenance	2	0	2	0.00	2.00
15 - Wide Vacuum Procedure	3	3	0	100.00	3.00
1A - Weekly Cleaning	10	7	3	70.00	2.70
2 - WIndows/Glass Cleaning	2	2	0	100.00	3.00
2A - Spot Clean Vertical Surfaces	25	18	7	72.00	3.36
3 - Damp Wipe Horizontal Surfaces	18	16	2	88.89	3.17
3A - Spot Clean Horizontal Surfaces	3	1	2	33.33	2.33
4 - Trash	23	23	0	100.00	3.30
4A - Trash 2	6	6	0	100.00	3.50
5 - Restroom Procedure	21	16	5	76.19	3.24
6 - Dry & Damp Mop or Vacuum Floors	21	17	4	80.95	3.05
6A - Spot Mop or Vacuum Floors	5	3	2	60.00	2.60
	155	122	33	78.71	3.12





Jackson, Ron

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	19	14	5	73.68	2.74
12 - Exterior Maintenance	1	1	0	100.00	3.00
15 - Wide Vacuum Procedure	4	4	0	100.00	3.00
1A - Weekly Cleaning	6	5	1	83.33	3.50
2 - WIndows/Glass Cleaning	4	2	2	50.00	2.25
2A - Spot Clean Vertical Surfaces	25	14	11	56.00	2.68
3 - Damp Wipe Horizontal Surfaces	21	17	4	80.95	3.29
4 - Trash	20	5	15	25.00	2.30
4A - Trash 2	6	5	1	83.33	2.67
5 - Restroom Procedure	17	14	3	82.35	3.06
6 - Dry & Damp Mop or Vacuum Floors	21	17	4	80.95	2.81
6A - Spot Mop or Vacuum Floors	1	0	1	0.00	2.00
	145	98	47	67.59	2.81

Percent Steps Passed**Average Score**



Jordan, Princess

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	8	2	6	25.00	2.25
12 - Exterior Maintenance	1	0	1	0.00	2.00
15 - Wide Vacuum Procedure	4	4	0	100.00	3.00
1A - Weekly Cleaning	8	2	6	25.00	2.25
2 - WIndows/Glass Cleaning	2	2	0	100.00	4.00
2A - Spot Clean Vertical Surfaces	15	13	2	86.67	3.47
3 - Damp Wipe Horizontal Surfaces	10	4	6	40.00	2.70
4 - Trash	12	4	8	33.33	2.25
4A - Trash 2	8	2	6	25.00	1.88
5 - Restroom Procedure	14	14	0	100.00	3.00
6 - Dry & Damp Mop or Vacuum Floors	13	13	0	100.00	3.31
6A - Spot Mop or Vacuum Floors	3	2	1	66.67	2.67
	98	62	36	63.27	2.78





Lindermann, Victoria

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	23	18	5	78.26	2.96
1A - Weekly Cleaning	9	4	5	44.44	2.56
2 - WIndows/Glass Cleaning	6	4	2	66.67	2.67
2A - Spot Clean Vertical Surfaces	27	27	0	100.00	3.26
3 - Damp Wipe Horizontal Surfaces	25	17	8	68.00	3.20
3A - Spot Clean Horizontal Surfaces	1	0	1	0.00	2.00
4 - Trash	28	20	8	71.43	2.82
4A - Trash 2	12	11	1	91.67	3.00
5 - Restroom Procedure	26	16	10	61.54	2.38
6 - Dry & Damp Mop or Vacuum Floors	30	22	8	73.33	3.03
6A - Spot Mop or Vacuum Floors	10	9	1	90.00	3.20
	197	148	49	75.13	2.93





Lombard, Melissa

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	20	17	3	85.00	2.70
1A - Weekly Cleaning	7	6	1	85.71	3.43
2 - WIndows/Glass Cleaning	1	1	0	100.00	4.00
2A - Spot Clean Vertical Surfaces	24	8	16	33.33	2.21
3 - Damp Wipe Horizontal Surfaces	22	17	5	77.27	3.41
4 - Trash	21	12	9	57.14	2.52
4A - Trash 2	8	3	5	37.50	2.50
5 - Restroom Procedure	22	11	11	50.00	2.36
6 - Dry & Damp Mop or Vacuum Floors	24	16	8	66.67	2.67
6A - Spot Mop or Vacuum Floors	5	5	0	100.00	3.40
	154	96	58	62.34	2.70





McCarren, Elizabeth

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	24	14	10	58.33	2.58
1A - Weekly Cleaning	9	0	9	0.00	1.89
2 - WIndows/Glass Cleaning	2	2	0	100.00	3.00
2A - Spot Clean Vertical Surfaces	32	20	12	62.50	2.84
3 - Damp Wipe Horizontal Surfaces	28	22	6	78.57	3.14
3A - Spot Clean Horizontal Surfaces	3	2	1	66.67	3.00
4 - Trash	29	20	9	68.97	3.14
4A - Trash 2	6	6	0	100.00	3.83
5 - Restroom Procedure	30	19	11	63.33	2.63
6 - Dry & Damp Mop or Vacuum Floors	31	19	12	61.29	3.13
6A - Spot Mop or Vacuum Floors	3	1	2	33.33	2.00
	197	125	72	63.45	2.89





Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	14	5	9	35.71	2.36
11 - Stairways	2	2	0	100.00	4.00
12 - Exterior Maintenance	1	0	1	0.00	2.00
13 - Run Automatic Floor Machine	3	0	3	0.00	2.00
15 - Wide Vacuum Procedure	4	4	0	100.00	3.00
1A - Weekly Cleaning	10	10	0	100.00	3.20
2 - Windows/Glass Cleaning	2	0	2	0.00	1.00
2A - Spot Clean Vertical Surfaces	24	18	6	75.00	2.92
3 - Damp Wipe Horizontal Surfaces	14	9	5	64.29	3.00
3A - Spot Clean Horizontal Surfaces	3	3	0	100.00	3.67
4 - Trash	18	13	5	72.22	3.11
4A - Trash 2	9	6	3	66.67	2.56
5 - Restroom Procedure	17	12	5	70.59	3.12
6 - Dry & Damp Mop or Vacuum Floors	17	9	8	52.94	2.12
6A - Spot Mop or Vacuum Floors	3	3	0	100.00	3.00
Total	141	94	47	66.67	2.80

Percent Steps Passed

Average Score




Montez, Jalisco

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	14	14	0	100.00	3.07
10 - Elevators	2	0	2	0.00	2.00
11 - Stairways	1	0	1	0.00	2.00
12 - Exterior Maintenance	1	0	1	0.00	1.00
13 - Run Automatic Floor Machine	3	3	0	100.00	3.00
15 - Wide Vacuum Procedure	3	3	0	100.00	3.00
1A - Weekly Cleaning	12	4	8	33.33	2.08
2A - Spot Clean Vertical Surfaces	26	7	19	26.92	2.23
3 - Damp Wipe Horizontal Surfaces	18	15	3	83.33	2.83
4 - Trash	15	15	0	100.00	3.33
4A - Trash 2	16	8	8	50.00	2.44
5 - Restroom Procedure	27	21	6	77.78	2.78
6 - Dry & Damp Mop or Vacuum Floors	20	16	4	80.00	3.40
6A - Spot Mop or Vacuum Floors	5	3	2	60.00	2.40
	163	109	54	66.87	2.74





Newkirk, Kirk

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	17	14	3	82.35	2.82
11 - Stairways	1	0	1	0.00	2.00
12 - Exterior Maintenance	1	1	0	100.00	3.00
15 - Wide Vacuum Procedure	3	3	0	100.00	3.00
1A - Weekly Cleaning	9	5	4	55.56	3.00
2 - WIndows/Glass Cleaning	6	4	2	66.67	2.67
2A - Spot Clean Vertical Surfaces	24	21	3	87.50	3.42
3 - Damp Wipe Horizontal Surfaces	18	14	4	77.78	3.28
4 - Trash	18	14	4	77.78	3.00
4A - Trash 2	12	7	5	58.33	3.08
5 - Restroom Procedure	23	15	8	65.22	3.13
6 - Dry & Damp Mop or Vacuum Floors	20	14	6	70.00	2.75
6A - Spot Mop or Vacuum Floors	7	7	0	100.00	3.43
	159	119	40	74.84	3.07





Nicholson, Cindy

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	22	12	10	54.55	2.73
1A - Weekly Cleaning	9	5	4	55.56	3.00
2 - WIndows/Glass Cleaning	5	3	2	60.00	3.20
2A - Spot Clean Vertical Surfaces	29	25	4	86.21	3.03
3 - Damp Wipe Horizontal Surfaces	25	16	9	64.00	2.80
3A - Spot Clean Horizontal Surfaces	1	0	1	0.00	2.00
4 - Trash	26	19	7	73.08	2.96
4A - Trash 2	10	5	5	50.00	2.80
5 - Restroom Procedure	25	17	8	68.00	2.76
5A - Restroom Recheck & Spot Clean	1	1	0	100.00	3.00
6 - Dry & Damp Mop or Vacuum Floors	28	26	2	92.86	3.57
6A - Spot Mop or Vacuum Floors	8	6	2	75.00	2.75
	189	135	54	71.43	2.97





Oakley, Justin

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	20	15	5	75.00	2.85
11 - Stairways	1	1	0	100.00	3.00
12 - Exterior Maintenance	1	1	0	100.00	3.00
15 - Wide Vacuum Procedure	8	0	8	0.00	1.50
1A - Weekly Cleaning	20	15	5	75.00	2.90
2 - WIndows/Glass Cleaning	3	1	2	33.33	2.00
2A - Spot Clean Vertical Surfaces	39	28	11	71.79	3.00
3 - Damp Wipe Horizontal Surfaces	25	18	7	72.00	3.00
3A - Spot Clean Horizontal Surfaces	1	1	0	100.00	4.00
4 - Trash	24	20	4	83.33	3.29
4A - Trash 2	20	18	2	90.00	3.25
5 - Restroom Procedure	12	11	1	91.67	3.17
6 - Dry & Damp Mop or Vacuum Floors	27	17	10	62.96	2.52
6A - Spot Mop or Vacuum Floors	8	8	0	100.00	3.63
	209	154	55	73.68	2.94





Orroyo, Sally

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	33	19	14	57.58	2.52
1A - Weekly Cleaning	11	3	8	27.27	2.27
2 - WIndows/Glass Cleaning	4	1	3	25.00	1.75
2A - Spot Clean Vertical Surfaces	43	24	19	55.81	2.77
3 - Damp Wipe Horizontal Surfaces	35	26	9	74.29	3.20
3A - Spot Clean Horizontal Surfaces	2	2	0	100.00	3.00
4 - Trash	40	21	19	52.50	2.70
4A - Trash 2	9	7	2	77.78	2.89
5 - Restroom Procedure	30	29	1	96.67	3.43
6 - Dry & Damp Mop or Vacuum Floors	43	40	3	93.02	3.44
6A - Spot Mop or Vacuum Floors	6	2	4	33.33	2.33
	256	174	82	67.97	2.93



Pombo, Juanita


Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	10	9	1	90.00	3.30
11 - Stairways	2	2	0	100.00	3.00
12 - Exterior Maintenance	1	0	1	0.00	2.00
15 - Wide Vacuum Procedure	2	0	2	0.00	1.00
1A - Weekly Cleaning	8	4	4	50.00	2.38
2 - WIndows/Glass Cleaning	3	3	0	100.00	3.67
2A - Spot Clean Vertical Surfaces	18	12	6	66.67	3.11
3 - Damp Wipe Horizontal Surfaces	11	10	1	90.91	3.45
3A - Spot Clean Horizontal Surfaces	2	2	0	100.00	3.00
4 - Trash	16	8	8	50.00	2.94
4A - Trash 2	5	1	4	20.00	1.80
5 - Restroom Procedure	11	9	2	81.82	2.64
6 - Dry & Damp Mop or Vacuum Floors	17	16	1	94.12	3.59
6A - Spot Mop or Vacuum Floors	2	2	0	100.00	3.50
	108	78	30	72.22	3.02




Powell, Stacey

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	17	13	4	76.47	2.71
1A - Weekly Cleaning	11	10	1	90.91	3.09
2 - WIndows/Glass Cleaning	3	2	1	66.67	3.00
2A - Spot Clean Vertical Surfaces	25	19	6	76.00	3.04
3 - Damp Wipe Horizontal Surfaces	19	18	1	94.74	3.68
3A - Spot Clean Horizontal Surfaces	3	3	0	100.00	3.67
4 - Trash	21	18	3	85.71	3.00
4A - Trash 2	10	9	1	90.00	3.10
5 - Restroom Procedure	21	17	4	80.95	3.19
6 - Dry & Damp Mop or Vacuum Floors	25	20	5	80.00	3.00
6A - Spot Mop or Vacuum Floors	5	2	3	40.00	2.80
	160	131	29	81.88	3.10

Percent Steps Passed





Average Score





Roberts, Bill

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	12	7	5	58.33	2.58
10 - Elevators	1	1	0	100.00	4.00
13 - Run Automatic Floor Machine	4	4	0	100.00	3.00
1A - Weekly Cleaning	14	9	5	64.29	2.64
2 - WIndows/Glass Cleaning	2	0	2	0.00	1.00
2A - Spot Clean Vertical Surfaces	26	20	6	76.92	2.77
3 - Damp Wipe Horizontal Surfaces	16	9	7	56.25	2.75
3A - Spot Clean Horizontal Surfaces	1	0	1	0.00	2.00
4 - Trash	18	13	5	72.22	2.72
4A - Trash 2	16	6	10	37.50	2.44
5 - Restroom Procedure	22	19	3	86.36	3.32
6 - Dry & Damp Mop or Vacuum Floors	23	13	10	56.52	2.91
6A - Spot Mop or Vacuum Floors	7	3	4	42.86	2.57
	162	104	58	64.20	2.78





Robertson, Charles

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	12	6	6	50.00	2.42
10 - Elevators	4	4	0	100.00	3.00
11 - Stairways	1	1	0	100.00	3.00
13 - Run Automatic Floor Machine	5	2	3	40.00	2.80
1A - Weekly Cleaning	8	3	5	37.50	2.25
2 - WIndows/Glass Cleaning	2	0	2	0.00	2.00
2A - Spot Clean Vertical Surfaces	22	19	3	86.36	3.18
3 - Damp Wipe Horizontal Surfaces	13	6	7	46.15	2.54
3A - Spot Clean Horizontal Surfaces	2	1	1	50.00	3.00
4 - Trash	17	13	4	76.47	3.18
4A - Trash 2	5	5	0	100.00	3.60
5 - Restroom Procedure	13	10	3	76.92	3.31
6 - Dry & Damp Mop or Vacuum Floors	15	7	8	46.67	2.67
6A - Spot Mop or Vacuum Floors	2	2	0	100.00	3.00
	121	79	42	65.29	2.89





Rogers, Gus

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	19	12	7	63.16	2.63
10 - Elevators	2	2	0	100.00	3.00
11 - Stairways	3	1	2	33.33	2.33
12 - Exterior Maintenance	2	1	1	50.00	3.00
13 - Run Automatic Floor Machine	6	2	4	33.33	2.00
15 - Wide Vacuum Procedure	7	4	3	57.14	2.57
1A - Weekly Cleaning	21	16	5	76.19	3.24
2 - WIndows/Glass Cleaning	4	2	2	50.00	2.25
2A - Spot Clean Vertical Surfaces	36	25	11	69.44	2.89
3 - Damp Wipe Horizontal Surfaces	21	8	13	38.10	2.48
3A - Spot Clean Horizontal Surfaces	2	1	1	50.00	2.50
4 - Trash	22	22	0	100.00	3.23
4A - Trash 2	18	11	7	61.11	2.44
5 - Restroom Procedure	17	6	11	35.29	2.47
6 - Dry & Damp Mop or Vacuum Floors	22	16	6	72.73	3.00
6A - Spot Mop or Vacuum Floors	4	3	1	75.00	3.50
	206	132	74	64.08	2.79

Percent Steps Passed

Average Score




Smith, Steven

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	22	19	3	86.36	3.18
10 - Elevators	2	2	0	100.00	3.00
11 - Stairways	2	1	1	50.00	2.00
12 - Exterior Maintenance	1	1	0	100.00	3.00
13 - Run Automatic Floor Machine	2	2	0	100.00	3.00
15 - Wide Vacuum Procedure	3	3	0	100.00	3.00
1A - Weekly Cleaning	11	9	2	81.82	3.36
2 - WIndows/Glass Cleaning	2	2	0	100.00	3.50
2A - Spot Clean Vertical Surfaces	33	29	4	87.88	3.18
3 - Damp Wipe Horizontal Surfaces	24	15	9	62.50	2.71
3A - Spot Clean Horizontal Surfaces	1	0	1	0.00	2.00
4 - Trash	24	23	1	95.83	3.13
4A - Trash 2	11	9	2	81.82	3.18
5 - Restroom Procedure	23	18	5	78.26	3.43
6 - Dry & Damp Mop or Vacuum Floors	28	21	7	75.00	3.11
6A - Spot Mop or Vacuum Floors	2	2	0	100.00	3.50
	191	156	35	81.68	3.13

Percent Steps Passed

Average Score




Valdez, Juan

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	17	14	3	82.35	2.82
1A - Weekly Cleaning	3	3	0	100.00	4.00
2 - WIndows/Glass Cleaning	1	0	1	0.00	1.00
2A - Spot Clean Vertical Surfaces	20	9	11	45.00	2.70
3 - Damp Wipe Horizontal Surfaces	20	20	0	100.00	3.20
4 - Trash	18	6	12	33.33	2.11
4A - Trash 2	4	2	2	50.00	2.75
5 - Restroom Procedure	14	14	0	100.00	3.71
6 - Dry & Damp Mop or Vacuum Floors	21	9	12	42.86	2.43
6A - Spot Mop or Vacuum Floors	1	0	1	0.00	2.00
	119	77	42	64.71	2.80





Valdez, Juanita

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	6	5	1	83.33	3.00
10 - Elevators	1	1	0	100.00	3.00
13 - Run Automatic Floor Machine	4	0	4	0.00	2.00
1A - Weekly Cleaning	13	10	3	76.92	2.77
2 - WIndows/Glass Cleaning	1	1	0	100.00	4.00
2A - Spot Clean Vertical Surfaces	19	13	6	68.42	3.00
3 - Damp Wipe Horizontal Surfaces	8	4	4	50.00	2.25
3A - Spot Clean Horizontal Surfaces	4	4	0	100.00	3.50
4 - Trash	14	14	0	100.00	3.43
4A - Trash 2	10	2	8	20.00	2.30
5 - Restroom Procedure	10	8	2	80.00	3.10
6 - Dry & Damp Mop or Vacuum Floors	14	11	3	78.57	3.07
6A - Spot Mop or Vacuum Floors	6	4	2	66.67	2.33
	110	77	33	70.00	2.88





Vasquez, Angel

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	19	10	9	52.63	2.26
11 - Stairways	1	1	0	100.00	3.00
13 - Run Automatic Floor Machine	4	0	4	0.00	2.00
1A - Weekly Cleaning	6	4	2	66.67	3.00
2 - WIndows/Glass Cleaning	3	2	1	66.67	3.00
2A - Spot Clean Vertical Surfaces	25	23	2	92.00	2.92
3 - Damp Wipe Horizontal Surfaces	21	12	9	57.14	2.57
4 - Trash	20	9	11	45.00	2.25
4A - Trash 2	9	8	1	88.89	3.22
5 - Restroom Procedure	22	21	1	95.45	3.59
6 - Dry & Damp Mop or Vacuum Floors	22	7	15	31.82	2.50
6A - Spot Mop or Vacuum Floors	3	3	0	100.00	3.00
	155	100	55	64.52	2.74

Percent Steps Passed

Average Score


Weatherspoon, Cindy

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	13	10	3	76.92	3.00
1A - Weekly Cleaning	7	7	0	100.00	3.43
2 - WIndows/Glass Cleaning	3	0	3	0.00	1.00
2A - Spot Clean Vertical Surfaces	19	17	2	89.47	3.42
3 - Damp Wipe Horizontal Surfaces	15	7	8	46.67	2.73
3A - Spot Clean Horizontal Surfaces	1	1	0	100.00	4.00
4 - Trash	15	14	1	93.33	2.93
4A - Trash 2	7	2	5	28.57	2.14
5 - Restroom Procedure	22	14	8	63.64	2.86
5A - Restroom Recheck & Spot Clean	1	0	1	0.00	2.00
6 - Dry & Damp Mop or Vacuum Floors	17	17	0	100.00	3.47
6A - Spot Mop or Vacuum Floors	5	1	4	20.00	1.80
	125	90	35	72.00	2.94



Wise, Lila

Cleaning Step	# Rooms	# Pass	# Fail	% Pass	Avg. Score
1 - High Dusting	18	17	1	94.44	3.06
1A - Weekly Cleaning	12	7	5	58.33	2.50
2 - WIndows/Glass Cleaning	1	0	1	0.00	2.00
2A - Spot Clean Vertical Surfaces	30	23	7	76.67	2.83
3 - Damp Wipe Horizontal Surfaces	23	16	7	69.57	3.26
3A - Spot Clean Horizontal Surfaces	4	2	2	50.00	2.50
4 - Trash	26	13	13	50.00	2.42
4A - Trash 2	10	10	0	100.00	3.20
5 - Restroom Procedure	22	17	5	77.27	2.91
6 - Dry & Damp Mop or Vacuum Floors	32	26	6	81.25	3.19
6A - Spot Mop or Vacuum Floors	4	1	3	25.00	2.50
	182	132	50	72.53	2.90

